Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	56	Hashimoto near Masanori	US-PGPUB; USPAT	OR	OFF	2007/06/13 15:16
S4	1	S3 and rpr same mac	US-PGPUB; USPAT	OR	OFF	2007/06/13 15:17
S3	47	(Hashimoto-Masanori).in.	US-PGPUB; USPAT	OR	OFF	2007/06/13 15:17
S9	1	station adj node\$1 with bridge adj node\$1 same resilient adj packet adj ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 09:47
S10	1	resilient adj packet adj ring same bridge same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/14 09:54
<b>S8</b>	10	resilient adj packet adj ring same bridge	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:02
S12	3	ring same mac adj frame same destination adj address same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:08
S13	24	mac adj frame same destination adj address same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:18
S14	8	mac adj frame same destination same encapsulat\$3 same ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:19
S15	218	resilient adj packet adj ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:41
S17	2	"802.17" same rpr adj (header or frame)	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:46
S20	83	S19 and mac	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:47
S19	99	"802.17" same ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:47
S22	11	S19 and mac same encapsulat\$3 same rpr	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:49
S23	12	ringlet same station same (mac or "media access control")	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:54
S18	1	"802.17" same ring same mac near (header or frame)	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:55
S29	3	S25 and ring same (header or frame)	US-PGPUB; USPAT	OR	OFF	2007/06/14 10:57
S31	6	(370/258,400-405).ccls. and rpr same mac near (frame or header)	US-PGPUB; USPAT	OR	OFF	2007/06/14 11:21
S35	1	spatial adj reuse same rpr adj header	US-PGPUB; USPAT	OR	OFF	2007/06/14 11:28
S36	918	(receiv\$3 or transmit\$4) with (rpr or mac) near frame	US-PGPUB; USPAT	OR	OFF	2007/06/14 11:31

S39	4411	(709/238,249,251).ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:11
538	13436	(370/389,392,428,465,466,470,471, 474).ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:11
S30	2	(370/258,400-405).ccls. and ringlet same mac near (frame or header)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:45
S44	3	S42 and mac near (frame or header)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:46
S43	17	S39 and (inner adj ring or ringlet)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:46
S33	8	S32 and (inner adj ring or ringlet)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:46
S47	6	S39 and "802.17"	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:49
S40	1	S38 and ringlet same mac near (frame or header)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:49
S46	13	S38 and "802.17"	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:50
S49	3	S39 and (inner adj ring or ringlet)same mac adj address	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:55
S42	14	S38 and (inner adj ring or ringlet)	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:55
S48	1	S38 and (inner adj ring or ringlet)same mac adj address	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:58
S50	30	S38 and destination near mac adj address same ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:01
S52	8390	(370/258,400-405).ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:03
S51	15	S39 and destination near mac adj address same ring	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:03
S32	348	(370/258,400-405).ccls. and mac near (frame or header)	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:03
S37	7	(receiv\$3 or transmit\$4) with (rpr or mac) near frame same (ringlet or (inner or outer) adj ring)	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:05
S54	7	S53 and (ringlet or (inner or outer) adjring)	US-PGPUB; USPAT	OR	OFF	2007/06/14 16:22
S60	14	destination adj mac adj address same ring same bridge	US-PGPUB; USPAT	OR	OFF	2007/06/14 17:03
S61	1	encapsulat\$3 near mac adj frame same ring same bridge	US-PGPUB; USPAT	OR	OFF	2007/06/14 17:04
S63	24	encapsulat\$3 with mac adj frame same (bridge or ring)	US-PGPUB; USPAT	OR	OFF	2007/06/14 17:09

			_	·		
S64	7	mac adj frame same rpr	US-PGPUB; USPAT	OR	OFF	2007/06/14 17:12
S11	4	resilient adj packet adj ring same mac same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/18 10:10
S65	4	"802.17" same mac near address same destination	US-PGPUB; USPAT	OR	OFF	2007/06/18 10:11
S66	8390	(370/258,400-405).ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/18 10:12
S53	37	S52 and destination near mac adj address same ring	US-PGPUB; USPAT	OR	OFF	2007/06/18 10:12
S71	158	encapsulat\$3 same mac adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 10:51
S73	84	encapsulat\$3 same mac same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 10:56
S72	10	encapsulat\$3 same mac adj frame same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 10:56
S76	3	S75 and rpr	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:01
S74	4	encapsulat\$3 near mac same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:01
S75	49	encapsulat\$3 near mac adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:09
S78	9	rpr same mac near frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:11
S77	2	encapsulat\$3 near mac adj frame same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:12
S80	161	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:19
S83	2	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame same rpr adj header	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:20
S81	4	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame same rpr	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:20
S84	2	(resilient or rpr) near header same mac adj frame	US-PGPUB; USPAT	OR	OFF	2007/06/18 11:21

S82	80	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame same header	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:21
S16	41	resilient adj packet adj ring same mac	US-PGPUB; USPAT	OR	OFF	2007/06/18 11:21
S85	161	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:22
S90	2	encapsulat\$3 near (mac or (media or medium) adj access or control) adj frame same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:53
S79	12	encapsulat\$3 near (mac or (media or medium) adj access or control) same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 11:53
S97	4	resilient same mac same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:13
S96	1	resilient same mac adj frame same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:13
S95	1	ring same resilient same mac adj frame	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:13
S67	56	S66 and destination with mac adj address same ring	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:17
S10 3	12	ring same bridge same mac adj frame	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:29
S62	3	encapsulat\$3 near mac adj frame same bridge	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:29
S10 5	158	mac adj frame same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:30
S10 4	2	ring same bridge same mac adj frame same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/18 12:30
S87	67	encapsulat\$3 with (mac or (media or medium) adj access or control) adj frame same destination	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 12:30
S10 7	11	encapsulat\$3 same (mac or (media or medium) adj access or control) adj frame same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 12:31
S10 6	214	encapsulat\$3 same (mac or (media or medium) adj access or control) adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/18 12:31
S91	49	encapsulat\$3 near (mac or (media or medium) adj access or control) adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 08:44
S10 9	4	encapsulat\$3 near (mac or (media or medium) adj access or control) with ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 08:45

S11 1	2	encapsulat\$3 near (mac or (media or medium) adj access or control) adj (frame or packet) same ring	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 08:46
S11 0	76	encapsulat\$3 near (mac or (media or medium) adj access or control) adj (frame or packet)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:28
S11 2	16	S110 and @rlad<"20030207"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:29
S11 4	52	S113 and @rlad<"20030207"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:31
S11 3	214	encapsulat\$3 same (mac or (media or medium) adj access or control) adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:31
S11 7	120	encapsulat\$3 with mac adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:38
S11 5	158	encapsulat\$3 same mac adj frame	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:38
S11 9	27	S117 and @rlad<"20030207"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:39
S11 8	1218576	l17and @rlad<"20030207"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:39
S11 6	32	S115 and @rlad<"20030207"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 09:39
S12 0	118	bridg\$3 same mac adj frame	US-PGPUB; USPAT	OR	OFF	2007/06/19 10:00
S12 1	30	bridg\$3 same mac adj frame same encapsulat\$3	US-PGPUB; USPAT	OR	OFF	2007/06/19 10:01
S12 3	19	encapsulat\$3 near "802.3"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 10:16
S12 2	304	encapsulat\$3 same "802.3"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 10:16
S10 8	879	encapsulat\$3 near (mac or (media or medium) adj access or control)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/19 10:16